

**MARINWOOD FIRE COMMISSION  
 AGENDA FOR FIRE COMMISSION MEETING  
 TUESDAY DECEMBER 6, 2016  
 7:00 PM – MARINWOOD COMMUNITY CENTER  
 775 MILLER CREEK RD., SAN RAFAEL, CA 94903**

#	Time	Item	Commission Action
1	7:00 PM	Agenda	Approve
2	7:05 PM	Public Comments on Non Agenda Items	
3	7:10 PM	Draft Minutes October 2016 Fire Commission Meeting	Approve
4	7:15 PM	Activity Summary Report for October and November 2016 Response Report for October and November 2016	Review
5	7:30 PM	New Website Review and Discussion	Review
6	7:35 PM	Fire Chief Report, Grants Update, New engine warranty work	Review
7	7:45 PM	CERT Trailer Project Update	
8	7:50 PM	Fire Commission Vice Chair Appointment, Commissioners Reappointment, and Commission Vacancy	Discuss/Approve
9	8:00 PM	Succession Planning for implementation of Paramedic Positions as directed by the Board including staffing and overhire and Captain's Testing Process	Discuss/Approve
10	8:05 PM	Adjourn	Approve

Requests for disability-related modifications or accommodations, aids or services may be made to the District office no later than 72 hours prior to the meeting by contacting (415) 479-0775

**NOTES TO COMMISSIONERS:**

Please notify Fire Chief Tom Roach at 415.479.0122 (or [troach@marinwood.org](mailto:troach@marinwood.org)) by 5:00 PM the day before the meeting if you are unable to attend.

**NEXT FIRE COMMISSION MEETING DATE TO BE DETERMINED**

TO: MARINWOOD FIRE COMMISSION  
FROM: THOMAS ROACH, FIRE CHIEF

October 4, 2016 Fire Commission Meeting Minutes

**DRAFT**

Commissioners:

Present: Ron Marinoff, Irv Schwartz, Tom Elsbree, Dan Curran, Greg Stilson

Others in attendance:

Fire Chief Tom Roach, Board Member Izabela Perry, District Manager Eric Dreikosen, Acting Captain Ryan Brackett, Linda Barnello

1. Approval of Agenda-Call to order 7:05 pm.
  - **M/S Marinoff/Curran to approve adjusted agenda. All in favor.**
2. Public Comment on Non agenda items.
  - Linda Barnello made a brief statement commending the firefighters for their commitment to the community and all their hard work during the summer months especially as the department struggled with some staffing issues. Chief echoed her words. Linda then gave a very generous donation of \$2500 dollars to the Marinwood Firefighter's Association to be used for the purchase of new air monitoring gas detector. The gas detector had just been purchased and Acting Captain gave a brief presentation on on how it works and it's importance. The Commission thanked her for her generosity and thought the Chief some write something for NextDoor and notify the IJ for a possible story. Both were done.
3. Approval of September 2016 Minutes
  - **M/S Curran/Elsbree to approve the September Commission Minutes. All in favor.**
4. September Activity Schedule and Response Report.
  - The September Activity Schedule was reviewed. Chief commented that September was a busy month in terms of emergency calls, preparing for wildland season, training probationary employees, and getting two department members Acting Engineer Certified. Commissioner Schwartz asked about the meeting Eric and I had with Rocking H Ranch developers. Eric gave a brief description including the developers are hoping to annex to Marinwood and asked the Chief to provide some fire department requirements on the development. Irv provided some information from Ray Morwitz and Scott Alber that had been submitted on a previous project.
  - The September Response Report was reviewed. Commissioner Marinoff asked if the three calls in CSA 13 at the beginning of the month were all at the same address. Chief said they were not. Commisisoner Curran had a question about a "structure fire" response that had the engine responding and then available all within 1 minute. Chief commented that it was probably a structure fire response that they were cancelled on right as they left.
5. Bill of Sale and Release of Liability
  - The Commission reviewed the Release of Liability and the Bill of Sale to be used for the sale of the Reserve Type 1. Chief commented that both had been reviewed by counsel. Since some surplus equipment is going with the sale of the engine it was recommended that the list of equipment be attached and included in the Release of Liability and that Section IV of the Bill of Sale discussing the condition of the engine be removed. Both changes have been made in each document. **M/S Elsbree/Curran to recommend the sale of the engine for the stated price and that the Board approve both the Release of Liability Form and the Bill of Sale with the noted changes and that the \$18,000 be**

**earmarked for the purchase of a new Utility Truck for the fire department in future years. All in favor.**

**6. Chief Report and Grant Update**

- Chief gave a report on the Assistance to Firefighter Grant. All SCBA's and related equipment has been ordered and funds requested from Department of Homeland Security to pay for the equipment. The equipment and the requested funds should both arrive within four to five weeks.
- Chief gave an update on the Disaster Preparedness Trailer. Work has begun on the outfitting the inside of the trailer with necessary disaster supplies. Four volunteer firefighters are assisting the Chief with the project.

**7. 2016 California Fire Code Adoption**

- Chief gave a brief update on why the District has to go through this process. It's something done every three years. He stated that the District adopts exactly the same code as the County. The Marin County Fire Prevention Officer's have been very helpful with this process. Commissioner Schwartz noted a few errors in the Summary of Resolution Document that have been changed. Additionally, Commissioner Stilson noted a few typos in the Resolution. **M/S Curran/Marinoff Recommending the adoption of Resolution 2016-08. All in favor.**

**8. Succession Planning for the Implementation of Paramedics**

- Chief Roach gave a brief update on Jeff Smith completing Probation and passing his Acting Engineer Certification. Probationary Firefighter Sean Day should complete Probation and pass his Acting Engineer certification by early November. Chief also spoke about the current paramedic recruitment going on. Applications are being taken until this Friday, October 7 with interviews later this month or into November. The next new hire academy starts December 19.
- Next Meeting scheduled for December. I will be on vacation the first week of November.

**Chief Tom Roach**

TO: MARINWOOD FIRE COMMISSION  
FROM: THOMAS ROACH, FIRE CHIEF

October 4, 2016 Fire Commission Walk-through Notes  
**DRAFT**

Commissioners:

Present: Irv Schwartz, Tom Elsbree, Greg Stilson

Others in attendance:

Fire Chief Tom Roach, Linda Barnello

Prior to the October Fire Commission Meeting there was a scheduled walk through of the firehouse to note it's condition and make notes of needed improvements. Following are the notes from that walk through-

- \*Front entry way has some cracked tiles leading to the Captains Office. It is not a trip hazard.
- \*The Captain's Office needs new carpet. Or possibly replace the carpet with something more durable and longer lasting.
- \*The kitchen is 22 years old and needs cabinet refacing and new countertops and flooring. Possibly a new stove and dishwasher also.
- \*The bunk room needs new carpet. Or possibly replacing the carpet with something more durable and longer lasting.
- \*Bathrooms could use some tile repair, installation of low flow toilets, sheet rock repair near the showers, and new shower pans.
- \*The back shed needs to be replaced. Possibly with a much larger tough shed product for additional storage space.
- \*New turnout lockers for both the paid and volunteer staff, with possible relocation of paid lockers to back storage room.
- \*It was discussed that the firehouse is not currently set up to accommodate a female firefighter and the required privacy that comes with that.

November 30, 2016

To: Marinwood Fire Commission  
From: Chief Tom Roach  
Re: Activity Summary for October and November 2016

**FULL TIME PAID STAFFING**

Ten (10) full time paid personnel including:

Fire Chief Tom Roach

“A” shift- Captain Heine, Engineer/Acting Captain Papanikolaou, Firefighter/Acting Engineer Otis Smith, Firefighter Spot Open filled with OT

“B” shift- Firefighter/Acting Captain Selvitella, Firefighter/Acting Engineer J. Smith, Firefighter Day

“C” shift- Captain White, Engineer/Acting Captain Correa, Firefighter/Acting Captain Brackett, Temporary Firefighter Davenport

Two Fire Captains off on industrial disability leave and there is one opening being filled by a Temporary Hire.

An eligibility list has been established for Firefighter Paramedics

**VOLUNTEER STAFFING**

15 Current Volunteers including:

One Volunteer Battalion Chief

0 Volunteer Firefighter/AO's

7 Volunteer Firefighters qualified as “responders” (includes AO's & Captains)

8 Volunteer Firefighter qualified as a “non responder”

5 New volunteers were hired in November bringing the total to 20. They begin the last Wednesday of the month.

**EMERGENCY CALLS**

The department responded to 200 emergency calls in October and November. Most were medical in nature. The department did respond to three vehicle fires, one debris fire, and one small grass fire in Marinwood, two vehicle fires in San Rafael, and two structure fires in San Rafael.

**October and November 2016 Response Report**

	<b>MA</b>	<b>PSA</b>	<b>FA/NN</b>	<b>FIRE</b>	<b>HAZMAT</b>	<b>COVER</b>	<b>TOTAL</b>
<b>Marinwood</b>	50	14	1	5	0	na	70
<b>CSA 13</b>	7	2	2	0	0	na	11
<b>New JPA (east of 101)</b>	59	8	6	1	0	na	74
<b>Old JPA (mont marin)</b>	9	5	0	0	0	na	14
<b>SR Mutual Aid</b>	7	1	2	3	0	0	13
<b>MC JPA</b>	4	0	3	0	0	na	7
<b>Novato Matrix</b>	1	0	1	0	0	9	11
<b>Others (list)</b>	0	0					
<b>Total number</b>	137	30	15	9	0	9	200

## **COMMUNITY SERVICE/PREVENTION/ASSOCIATION MEETINGS**

- I completed five final inspections of new solar systems in Marinwood during October and November.
- Two final residential sprinkler system inspections in Marinwood in November.
- One Fire Commission Meeting was held in October.
- I, along with help from four volunteers, continue to work on the disaster preparedness trailer in October and November.
- Two fundraising rides to school were completed in October.
- I attended the MERA Executive Board and Governing Board meeting in October.
- The SCBA Grant has been managed, bids received, equipment ordered, and funds from the grant requested. We are still awaiting word on approval of the request for funds and delivery of the SCBA's. The department should hear back from both by mid-November.
- I met with the Sheriff Office Training Coordinator to see the room where the Captain's written test will be administered.
- I met with Kelby Jones of LVHA to help getting vegetation management work done on a few homeowners property in their area. We walked all the homes in the boundary between the homes and open space. All but three have complied with vegetation management.
- The department assisted a homeowner in Mont Marin with refilling their swimming pool.
- I continued working with the Lions Club on CERT related issues, including mapping and radio protocol.
- A cert meeting was held at the firehouse in October.
- I started writing a new Assistance to Firefighters Grant for a new Utility Vehicle.
- Marinwood hosted a San Rafael Fire Commission Meeting in October.
- I provided construction and development feedback to the architect and general contractor for the Rocking H Ranch four homes development off of Lucas Valley Road in October.
- The Great California Shakeout was help in October. Residents were encouraged to review their earthquake preparedness during the month.
- The department engine with personnel went to the St. Vincent's pumpkin patch twice during the October to show the engine.
- The station was a drop off point during a weekend day in October for the prescription drug take back day.
- The Rob Paoli Memorial Basketball Tournament was held in November.
- Marinwood CERT sponsored a Get Ready Class in November.
- Marinwood CERT sponsored a First Aid for Disaster Response in November.

## **TRAINING**

- Six minutes of Safety training was reviewed daily by on duty staff.

- Department Personnel continued with the Target Safety Training Program during October.
- All three shifts went through multi company drill in October. HazMat was the topic.
- Jeff Smith completed his one year probationary training in September and is now qualified as an Acting Engineer.
- Four Volunteer drills were held in October. Topics included new volunteer orientation, ladders and hoselines aloft, and HazMat.
- Keith Larson continued with his probationary training and studying for his 6 month evaluation.
- Sean Day continued with his Acting Engineer training. Sean Day will be tested on November 17 and 18.
- The two Captain's candidates and I and the Union Representative held a meeting regarding the Captains testing process in October.
- Four new Volunteer Firefighters were hired in November and began their orientation.
- I held Chief interviews for new Firefighter Paramedic hires.

### **MAINTENANCE**

- All 4 department vehicles underwent a comprehensive monthly check during October.
- The reserve engine was sold and taken away by Long Valley Volunteer FD in October. A training was given to their personnel who picked it up. I also have had multiple calls from their chief with questions.
- All gas-powered equipment was checked weekly during the month.
- All vehicle batteries were serviced and charged on a weekly basis during the month.
- The new engine went to Sacramento in late October for some warranty work. A separate sheet is included in the packet with the work that is being done
- New exercise equipment was ordered and placed in service during October.
- An SDRMA Inspection was done in November.

November 30, 2016

To: Marinwood Fire Commission  
From: Chief Roach

Re: New Website Update, Grants Update, New Engine Warranty work, Fire Commission Vice Chair Appointment and Commission Reappointment and Vacancy, Succession Planning for implementation of paramedics including new hires and Captain's Test Update

### **New Website Update**

Included in the email distributing the Commission Packet was a link to the Districts new website include a Fire Department link. Izabela will give a presentation at the Commission meeting. Feel free to go to the site and provide feedback or ideas. It is a work in progress and once live will continue to be a site improvements and additions can easily be made to.

### **Assistance To Firefighter Grant Update**

For the 2016 AFG Grant the department took delivery of 14 new Scott SCBA's, Rapid Intervention Pack, and Personal Device Locator and placed all in service. The bill was paid. \$115,000 total. Grant paid \$109,000, District contribution \$6,000. I have a number of reports and upkeep to managing the grant over the next year.

For the 2017 AFG Grant I submitted for a new Utility Light Rescue Pick Up Truck. I wrote for \$39,000 and said the District can contribute \$18,000. Won't know the result until at least middle of 2017.

### **Community Service Grant Update**

I continue to work with four volunteers to equip the trailer with all necessary supplies. Hope to have it completed by the end of the year.

### **New Engine Warranty work**

The new engine has been at Cummings in Sacramento having some warranty work done. Included in the packet is a list of the work. Should be back by time of the Commission meeting.

### **Fire Commission Vice Chair Appointment and Commissioner Reappointment and Commission Vacancy**

Irv Schwartz has been appointed to the Board of Directors so there is an opening for a Commission Vice Chair. I believe Dan Curran has expressed an interest. Also, Dan Curran, Tom Elsbree, and Russ Albano terms are expiring at the end of December. I believe all are interested in being reappointed. Lastly, there is a vacancy on the Commission with Irv's promotion. One person has expressed interest, hopefully he will come to the Commission meeting.



### **Captain's Testing Process**

Two candidates applied for the Fire Captain's promotional process. Both took the written exam and will be moving on to the Assessment Center which will take place on Dec 14 and 15. I can provide additional details of what is included in the Assessment Center Evaluation at the meeting if the Commission would like.

### **Succession Planning for implementation of Paramedic Positions**

The department currently has one paramedics on a 24 hour shift. He is current and licensed in Marin County as a Paramedic. He attends on going paramedic trainings and CQI study sessions with San Rafael FD.

Firefighter Paramedic Oral Boards and Chief Oral Boards of the top five candidates were completed in November. I have a list of some very qualified Firefighter Paramedics.

The Joint new hire academy is now scheduled to begin January 9.

The department currently has one opening. I am going to fill that position for sure with a firefighter paramedic from the top three.

The department currently has two long term workers comp injuries. I do not have a timeline for either's return or if it will lead to eventual separation from the department. Currently both are rehabilitating going through physical therapy and contemplating possible surgical intervention. Both have the option of returning when they are healthy and cleared by the physician.

The question to contemplate, should the department offer a position to a second firefighter paramedic candidate and send him or her through the new hire academy. Below are the list of pro's and con's-

#### **Pro's-**

- \*Get the department staffing back up to ten fulltime personnel.
- \*Reduce overtime.
- \*Provide for shift and staffing continuity.
- \*Reduce extended hours for all staff members.
- \*Allow department to participate in strike team assignments again.
- \*Have three paramedics in the department.
- \*The timing with a joint new hire academy works perfectly. Not sure when the next academy would occur which could delay a new hire when the department needs one.

#### **Con's-**

- \*Currently Board is in labor negotiations with union. The overhire will cause an increase in fulltime wage costs, as the department will employ 11 fulltime employees as opposed to 10. Would that extra money be better used towards a raise for current employees?
- \*If both injured employees return to work the overhire staff member would be released until such a time as another full time position opened up or long term injury occurred.

**Options-**

- 1. Do not hire a second firefighter paramedic and wait for the two workers comp cases sort themselves out into either return to work or IDR status.**
- 2. Hire a second fulltime firefighter paramedic, send them through the academy and when completed put them on staff with the understanding that should both workers comp injuries return to work they will be released from work until there is another opening or another long term injury occurs.**
- 3. Hire a second firefighter paramedic as a temporary employee, send them through the academy and when completed put them on staff with the understanding that should both workers comp injuries return to work they will be released from work until there is another opening or another long term injury occurs. The temporary employee status will allow the District to both get a new employee working and trained and have some savings by not having to pay for the benefits and retirement initially of the employee. We could employ the employee for up to 1000 hours this way, which would last about 4 months. At the conclusion of 1000 hours the department may know more about the status of the workers comp cases and could decide then to either release the employee or hire him or her full time.**

**I recommend proceeding with option 3. We will discuss this at the Commission meeting and I will be looking for a recommendation from the Commission on this matter.**

## **Repairs need to be done to E 58**

Check engine light – Need Top MPH to be 68

Both sides of pump transmission leaking

Need to power wash when done

Rear door wiring- Captains door making noise

Radiator shroud not tight and making noise

Possible exhaust leak

Front suction opening slow

Driver door widow clanking

Moisture in Air Tanks

Gauge lights wont turn on- Multiplex

Rear passenger door gasket

Drivers small window seems loose

First Roll up Door on both sides do not lock

October 2016 Response Report

Incident #	DATE	CODE	DISP	ENROUTE	ON SCENE	AVAILABLE	ELAP	TYPE	INCIDENT	PARA	AREA	FMA
16-923	10/1/16	3	10:18	10:20	10:25	11:41	1:23	MA	Over the Edge	#+	MW	
16-924	10/2/16	2	8:49	8:51	8:55	9:12	0:23	MA	Fall	#+	JPA-SR (N)	5338
16-925	10/2/16	2	22:53	22:55	22:58	23:04	0:11	COVER	Cover Station 64		OUT (N)	NOV
16-926	10/2/16	2	23:39	23:41	23:42	0:05	0:26	MA	Near Syncope	#	MW	5883
16-927	10/3/16	3	7:51			7:52	0:01	FA/NN	Fire Alarm/Cancelled		CSA 13	5889
16-928	10/3/16	3	8:09	8:11	8:14	8:16	0:07	FA/NN	Fire Alarm		CSA 13	5889
16-929	10/3/16	3	8:41	8:43	8:44	8:54	0:13	MA	ALOC	#+	MW	5883
16-930	10/3/16	3	11:35	11:36		11:38	0:03	MA	Medical alarm/Cancelled	#	JPA-SR (N)	5333
16-931	10/3/16	3	12:31			12:34	0:03	FIRE	Veg Fire/Cancelled		OUT (N)	NOV
16-932	10/4/16	3	16:12	16:14	16:16	16:37	0:25	MA	Fall	#+	JPA-SR (N)	5331
16-933	10/5/16	3	11:34	11:34	11:38	11:52	0:18	MA	Walk in	#+	MW	5883
16-934	10/5/16	2	13:42	13:43	13:45	13:56	0:14	MA	Bicycle Accident	#+	MW	5883
16-935	10/5/16	3	15:24	15:25	15:29	15:33	0:09	MA	Medical Check Out		MW	5883
16-936	10/5/16	3	19:41	19:43	19:48	20:04	0:23	MA	Sick Person	#+	MW	5886
16-937	10/6/16	2	6:53	6:56	6:58	7:24	0:31	OTHER	Odor Investigation		JPA-SR (O)	5330
16-938	10/6/16	2	12:39	12:40	12:45	12:57	0:18	MA	Fall	#+	JPA-SR (N)	5334
16-939	10/6/16	3	13:11	13:12	13:14	13:44	0:33	MA	ALOC	#+	MW	5882
16-940	10/6/16	3	16:04	16:08	16:08	16:10	0:06	MA	Fall	#	JPA-SR (O)	5330
16-941	10/6/16	3	20:54	20:56	20:57	21:13	0:19	MA	Cardiac Problem	#+	MW	5885
16-942	10/6/16	2	22:19	22:21	22:24	22:55	0:36	MA	Leg Pain	#	JPA-SR (O)	5331
16-943	10/7/16	3	5:13	5:15	5:17	5:37	0:24	MA	Fall	#	MW	5885
16-944	10/7/16	3	5:40	5:42	5:44	6:00	0:20	MA	Shortness of Breath	#+	JPA-SR (O)	5331
16-945	10/7/16	2	8:19	8:20	8:24	8:41	0:22	PSA	Smoke Check		MW	5881
16-946	10/7/16	2	12:01	12:02	12:04	12:25	0:24	MA	Fall	#+	MW	5885
16-947	10/7/16	2	21:06	21:08	21:13	21:23	0:17	PSA	Lift Assist		JPA-SR (N)	5333
16-948	10/8/16	3	11:47	11:48	11:49	12:05	0:18	MA	Possible Stroke	#+	MW	5881
16-949	10/8/16	3	12:26	12:28	12:32	12:55	0:29	MA	Vehicle Accident	#+	JPA-SR (N)	5336
16-950	10/8/16	3	14:34	14:36	14:39	14:53	0:19	MA	Abdominal Pain	#+	JPA-SR (N)	5300
16-951	10/8/16	3	15:31	15:35	15:46	20:00	4:29	FIRE	Vegetation Fire		OUT (MC)	Ross Valley
16-952	10/9/16	3	8:00	8:02	8:05	8:10	0:10	MA	Medical Alarm	#	JPA-SR (N)	5331
16-953	10/9/16	3	8:40	8:41	8:44	9:17	0:37	MA	Back Pain	#+	JPA-SR (N)	5338
16-954	10/9/16	2	11:41	11:42	11:43	11:48	0:07	PSA	Wellness Check/No merit		MW	5881
16-955	10/9/16	3	14:04	14:04	14:07	14:19	0:15	MA	Vehicle Accident	#+	MW	5881
16-956	10/9/16	3	20:42	20:44	20:47	20:51	0:09	FIRE	Debris Fire		MW	5882
16-957	10/9/16	3	23:34	23:37	23:38	0:04	0:30	MA	Fall	#+	MW	5881
16-958	10/11/16	3	8:00	8:01		8:08	0:08	MA	Cancelled in Route		MW	5881
16-959	10/11/16	3	9:02	9:04	9:08	9:29	0:27	MA	SOB	#+	JPA-SR (N)	5338
16-960	10/12/16	2	18:22	18:24	18:27	18:38	0:16	MA	Back Pain	#+	MW	5882
16-961	10/13/16	3	1:21	1:23	1:27	1:42	0:21	MA	Difficulty Breathing	#+	JPA-SR (N)	5338
16-962	10/13/16	2	8:46	8:46	8:48	9:00	0:14	PSA	Smoke Detector		MW	5882

CODE 2 = Standard Response

CODE 3 = Emergency Response (lights, sirens)

ALS Response (#)  
 ALS Transport (+)  
 No ALS Transport (&)

October 2016 Response Report

Incident #	DATE	CODE	DISP	ENROUTE	ON SCENE	AVAILABLE	ELAP	TYPE	INCIDENT	PARA	AREA	FMA
16-963	10/13/16	2	16:17	16:17	16:17	16:29	0:12	MA	Abdominal Pain	#+	MW	5863
16-964	10/13/16	3	22:23	22:25	22:27	22:49	0:26	MA	Attempted Suicide	#+	JPA-SR (O)	5331
16-965	10/14/16	3	7:12	7:14	7:17	7:37	0:25	MA	Vehicle Accident		MW	5862
16-966	10/14/16	2	7:37	7:37	7:43	7:51	0:14	PSA	Smoke Check		JPA-SR (N)	5334
16-967	10/14/16	3	20:17	20:19	20:22	20:37	0:20	MA	Fall	#+	CSA 13	5868
16-968	10/15/16	3	12:31	12:33	12:37	12:49	0:18	MA	Vehicle Accident	#	JPA-SR (N)	5330
16-969	10/15/16	3	13:41	13:50	13:50	14:18	0:37	MA	Vehicle Accident	#+	MW	21105
16-970	10/16/16	3	14:25	14:26	14:30	14:51	0:26	MA	Fall	#+	JPA-SR (N)	5333
16-971	10/16/16	3	19:26	19:29	19:32	19:36	0:10	PSA	No Hazard		CSA 13	5868
16-972	10/16/16	3	20:52	20:53		20:59	0:07	MA	Cancelled in Route	#	JPA-SR (N)	5334
16-973	10/17/16	2	9:31	9:33	9:40	10:09	0:38	MA	Fall	#+	JPA-SR (N)	5334
16-974	10/17/16	3	10:30	10:30	10:31	10:48	0:18	MA	Syncopal	#+	JPA-SR (N)	5338
16-975	10/17/16	2	17:27	17:29	17:39	17:42	0:15	MA	Fall	#+	JPA-SR (N)	5333
16-976	10/17/16	2	19:27	19:29	19:35	19:45	0:18	MA	Medical Check After Choking		JPA-SR (N)	5334
16-977	10/18/16	2	8:37	8:39	8:47	8:52	0:15	PSA	Smoke Check		OUT (SR)	5661
16-978	10/18/16	3	9:37	9:38	9:42	9:59	0:22	MA	ALOC	#+	JPA-SR (N)	5338
16-979	10/18/16	3	10:15	10:17	10:20	10:20	0:05	FIRE	Vehicle Fire		MW	1501
16-980	10/18/16	3	15:29	15:30	15:35	15:48	0:19	MA	Chest Pain	#+	JPA-SR (O)	5337
16-981	10/18/16	2	19:41	19:42	19:42	19:42	0:01	COVER	Structure Fire		OUT (N)	21105
16-982	10/19/16	3	9:52	9:59	9:59	10:15	0:23	MA	Psychiatric Problem	#+	MW	5862
16-983	10/19/16	3	20:41	20:42	20:45	20:45	0:04	MA	Medical Alarm	#	MW	5862
16-984	10/20/16	3	5:30	5:33	5:36	5:49	0:19	MA	Fail/Lift Assist	#	MW	5862
16-985	10/21/16	3	5:08	5:11	5:14	5:28	0:20	MA	Difficulty Breathing	#+	JPA-SR (N)	5338
16-986	10/21/16	3	18:29	18:31	18:36	18:58	0:29	MA	Vehicle Accident	#+	JPA-SR (N)	5336
16-987	10/22/16	2	9:32	9:36		9:42	0:10	COVER	Cover Station 64		OUT (N)	21105
16-988	10/22/16	2	15:43	15:44	15:45	15:48	0:05	MA	Fall with Laceration	#+	MW	5868
16-989	10/22/16	2	16:07	16:08	16:08	16:12	0:05	PSA	Odor Investigation		MW	5869
16-990	10/22/16	3	19:53	19:53	19:55	19:57	0:04	MA	Abdominal Pain	#+	MW	5863
16-991	10/22/16	3	22:09	22:10	22:14	22:29	0:20	MA	Stroke	#+	JPA-SR (N)	5333
16-992	10/22/16	2	23:24	23:27	23:31	23:37	0:13	PSA	CO Alarm		MW	5860
16-993	10/23/16	2	2:25	2:28	2:31	2:51	0:26	MA	Nose Bleed	#	MW	5865
16-994	10/23/16	3	7:17	7:20	7:23	7:38	0:21	MA	Chest Pain	#+	JPA-SR (N)	5338
16-995	10/23/16	3	13:16	13:19	13:24	13:34	0:18	PSA	Lift Assist		JPA-SR (O)	5663
16-996	10/24/16	2	14:38	14:39	14:48	15:08	0:30	MA	Fall	#+	OUT (SR)	5772
16-997	10/24/16	3	20:02	20:03	20:07	20:33	0:31	MA	Difficulty Breathing	#+	JPA-SR (N)	5338
16-998	10/24/16	3	20:38	20:39	20:44	21:01	0:23	MA	Chest Pain	#+	JPA-SR (N)	5334
16-999	10/25/16	3	9:32	9:33	9:37	9:47	0:15	MA	Cardiac Problem	#+	JPA-SR (N)	5338
16-1000	10/25/16	3	9:38	9:39	9:48	9:54	0:16	FIRE	Appliance Fire		MW	5861
16-1001	10/25/16	3	11:04	11:06	11:10	11:18	0:14	FAANN	Fire Alarm		JPA (MC)	1501
16-1002	10/25/16	3	11:10	11:11	11:12	11:13	0:03	MA	MVA	#	MW	5862

CODE 2 = Standard Response

CODE 3 = Emergency Response (lights, sirens)

ALS Response (#)  
 ALS Transport (+)  
 No ALS Transport (&)

October 2016 Response Report

Incident #	DATE	CODE	DISP	ENROUTE	ON SCENE	AVAILABLE	ELAP	TYPE	INCIDENT	PARA	AREA	FMA
16-1003	10/25/16	3	12:34	12:36		12:37	0:03	MA	Medical Alarm	#	JPA-SR (O)	5337
16-1004	10/25/16	3	12:43	12:45	12:51	13:37	0:54	MA	MVA	#	MW	5887
16-1005	10/25/16	3	15:54	15:56	16:00	16:11	0:17	MA	Sick Person	##	JPA-SR (N)	5333
16-1006	10/25/16	2	19:08	19:09	19:13	19:32	0:24	MA	Fall	##	CSA 13	5888
16-1007	10/26/16	2	17:38	17:39		17:41	0:03	COVER	Cover Station 64		OUT (N)	21105
16-1008	10/26/16	2	19:29	19:31	19:36	19:43	0:14	PSA	Odor Investigation		JPA-SR (N)	5335
16-1009	10/27/16	3	9:05	9:07	9:10	9:16	0:11	FA/NV	Fire Alarm		JPA-SR (N)	5300
16-1010	10/27/16	3	9:57	9:58	9:59	10:12	0:15	MA	ALOC	##	MW	5884
16-1011	10/27/16	3	10:12	10:14	10:18	10:40	0:28	PSA	Electrical Problem		MW	5887
16-1012	10/27/16	2	13:47	13:47	13:47	13:53	0:06	PSA	Odor Investigation		MW	5884
16-1013	10/27/16	2	14:13	14:14	14:15	14:29	0:16	MA	Fall	##	MW	5884
16-1014	10/27/16	3	15:46	15:47	15:51	15:59	0:13	MA	Medical Alarm	#	JPA-SR (N)	5333
16-1015	10/27/16	3	16:03	16:04	16:07	16:14	0:11	MA	ALOC	##	MW	5882
16-1016	10/27/16	2	17:04	17:05	17:10	17:17	0:13	PSA	Lift Assist		JPA-SR (N)	5333
16-1017	10/27/16	3	20:20	20:22	20:26	20:37	0:17	PSA	Assist with fireplace	#	JPA-SR (N)	5333
16-1018	10/28/16	3	0:22	0:25	0:27	0:45	0:23	MA	Fall	##	JPA-SR (N)	5337
16-1019	10/28/16	2	9:35	9:37	9:40	9:52	0:17	MA	Abdominal Pain	##	JPA-SR (N)	5331
16-1020	10/28/16	3	12:15	12:16	12:18	12:31	0:16	MA	Fall	##	JPA-SR (N)	5337
16-1021	10/28/16	3	16:48	16:50	16:55	17:03	0:15	FIRE	Stove Top Fire	#	OUT (SR)	5668
16-1022	10/28/16	3	18:49	18:51	18:53	18:57	0:08	MA	Non Injury Vehicle Accident	#	JPA-SR (N)	5333
16-1023	10/29/16	3	9:47	9:49	9:53	10:18	0:31	MA	ALOC	##	JPA-SR (N)	5333
16-1024	10/29/16	3	18:33	18:35	18:36	18:57	0:24	MA	Low Blood Pressure	##	MW	5884
16-1025	10/30/16	2	10:48	10:50	10:54	11:21	0:33	PSA	Electrical Checkout		JPA-SR (N)	5334
16-1026	10/30/16	3	17:49	17:50	17:54	18:02	0:13	MA	Fall	##	MW	5882
16-1027	10/30/16	3	18:12	18:12		18:14	0:02	MA	MVA	#	MW	5882
16-1028	10/31/16	2	6:52	6:54	6:57	7:09	0:17	MA	Medical Check for SO	#	MW	5882
16-1029	10/31/16	2	9:09	9:11	9:13	9:26	0:17	PSA	CO Alarm		JPA-SR (O)	5337
16-1030	10/31/16	3	18:37	18:41	18:42	18:52	0:15	MA	Low Blood Pressure	##	JPA-SR (N)	5338
16-1031	10/31/16	3	18:59	19:01	19:03	19:12	0:13	MA	Fall	#	JPA-SR (N)	5333

CODE 2 = Standard Response  
 CODE 3 = Emergency Response (lights, sirens)

ALS Response (#)  
 ALS Transport (+)  
 No ALS Transport (&)

### November 2016 Response Report

Incident #	DATE	CODE	DISP	ENROUTE	ON SCENE	AVAILABLE	ELAP	TYPE	INCIDENT	PARA	AREA	FMA
16-1032	11/1/16	3	10:05	10:07	10:09	10:16	0:11	MA	Fall	#	CSA 13	5898
16-1033	11/1/16	3	19:21	19:21		19:22	0:01	MA	Vehicle Accident	#	OUT (SR)	5665
16-1034	11/2/16	3	15:57	15:58	16:05	16:15	0:18	MA	CVA	#+	NW	5880
16-1035	11/3/16	3	1:42	1:50	1:54	2:00	0:26	MA	Back Pain	#+	JPA-SR (N)	5334
16-1036	11/3/16	3	15:04	15:06	15:08	15:36	0:32	MA	Cardiac Arrest	#	JPA-SR (O)	5331
16-1037	11/3/16	2	18:19	18:20	18:26	18:35	0:16	PSA	Malfunctioning Smoke Detector		NW	5887
16-1038	11/4/16	3	9:57	10:00	10:02	10:09	0:12	FIRE	Structure Fire	#	OUT (SR)	5777
16-1039	11/4/16	3	12:00	12:01	12:05	12:23	0:23	MA	Fall	#	JPA (MC)	1503
16-1040	11/4/16	3	15:19	15:22	15:25	15:35	0:16	MA	MVA	#	NW	5882
16-1041	11/5/16	2	2:44	2:45	2:52	4:31	1:47	COVER	Structure Fire		OUT (N)	21055
16-1042	11/5/16	2	3:32	3:35	3:38	3:45	0:13	PSA	Assistance with O2 cylinder		CSA 13	5888
16-1043	11/5/16	3	9:21	9:22	9:25	10:02	0:41	MA	Cardiac Arrest	#	CSA 13	5888
16-1044	11/5/16	3	16:02	16:03	16:06	16:12	0:10	FAANN	Accidental Medical Alarm		JPA-SR (N)	5333
16-1045	11/5/16	3	21:04	21:06	21:09	21:10	0:06	FAANN	Accidental Medical Alarm		JPA (MC)	1503
16-1046	11/6/16	3	2:38	2:40		2:47	0:09	MA	Canceled		NW	5771
16-1047	11/6/16	3	17:25	17:27	17:30	17:56	0:31	MA	Fall	#+	CSA 13	5889
16-1048	11/7/16	3	21:36	21:38	21:41	21:53	0:17	MA	ALOC	#	CSA 13	5888
16-1049	11/7/16	3	22:17	22:20	22:23	22:23	0:06	MA	Medical Alarm	#	JPA-SR (N)	5333
16-1050	11/7/16	3	22:23	22:23	22:24	22:34	0:11	MA	Medical Alarm-No Merit	#	JPA-SR (N)	5333
16-1051	11/8/16	3	1:04	1:07	1:12	1:27	0:23	MA	Medical Alarm-No Merit	#	JPA-SR (N)	5333
16-1052	11/8/16	2	7:53	7:54	7:55	7:58	0:05	PSA	Odor Investigation		NW	5885
16-1053	11/8/16	3	8:25	8:27	8:31	8:36	0:11	FAANN	Burned Food		JPA-SR (N)	5333
16-1054	11/9/16	3	10:38	10:39	10:43	10:58	0:20	MA	ALOC	#+	JPA-SR (N)	5330
16-1055	11/9/16	3	12:02	12:03		12:03	0:01	MA	Medical Alarm Activation	#	NW	5880
16-1056	11/9/16	3	16:16	16:17	16:20	16:40	0:24	MA	Abdominal Pain	#+	JPA-SR (N)	5333
16-1057	11/9/16	3	20:56	20:57	21:01	21:17	0:21	MA	Sick Person	#	JPA-SR (N)	5334
16-1058	11/10/16	2	5:17	5:17		5:17	0:00	COVER	Structure Fire		OUT (N)	21055
16-1059	11/10/16	2	5:34	5:37	5:42	5:49	0:15	PSA	CO Alarm		NW	5880
16-1060	11/10/16	3	6:03	6:05	6:08	6:20	0:17	FAANN	Fire Alarm		JPA-SR (N)	5330
16-1061	11/10/16	3	9:52	9:53	9:58	10:24	0:32	MA	Seizures	#+	JPA-SR (N)	5334
16-1062	11/10/16	3	12:15	12:17	12:20	12:22	0:07	FIRE	Vehicle Fire		NW	5882
16-1063	11/10/16	2	12:34	12:35	12:39	12:52	0:18	MA	Fall	#	JPA-SR (N)	5330
16-1064	11/10/16	2	14:43	14:44	14:51	15:10	0:27	MA	Back Pain	#+	JPA-SR (N)	5333
16-1065	11/10/16	2	23:47	23:51	23:54	23:58	0:11	PSA	Odor Investigation		NW	5880
16-1066	11/11/16	3	10:42	10:44	10:47	10:54	0:12	FAANN	Fire Alarm		JPA-SR (N)	5333
16-1067	11/12/16	3	13:47	13:49	13:52	14:04	0:17	MA	Possible Stroke	#+	JPA-SR (N)	5338
16-1068	11/12/16	2	23:09	23:11	23:15	23:25	0:16	MA	Sick Person		JPA-SR (N)	5334
16-1069	11/13/16	3	11:01	11:03	11:05	11:25	0:24	MA	Fall	#+	JPA-SR (O)	5331
16-1070	11/13/16	2	15:50	15:50	15:50	15:50	0:00	COVER	Veg Fire		NOV	NOV
16-1071	11/13/16	3	17:44	17:44	17:46	18:01	0:17	MA	ALOC	#+	OUT (SR)	5664

CODE 2 = Standard Response

CODE 3 = Emergency Response (lights, sirens)

ALS Response (#)  
 ALS Transport (+)  
 No ALS Transport (&)

November 2016 Response Report

Incident #	DATE	CODE	DISP	ENROUTE	ON SCENE	AVAILABLE	ELAP	TYPE	INCIDENT	PARA	AREA	FMA
16-1072	11/15/16	3	10:13	10:15	10:18	10:42	0:29	MA	Seizures	#+	JPA-SR (N)	5333
16-1073	11/15/16	3	11:37	11:38	11:44	11:58	0:21	MA	ALOC	#+	JPA-SR (N)	5330
16-1074	11/15/16	3	13:34	13:35		13:35	0:01	MA	Medical Alarm/Cancelled	#	JPA-SR (N)	5337
16-1075	11/15/16	3	17:26	17:29	17:35	17:36	0:10	MA	MVA	#	MW	5880
16-1076	11/16/16	2	11:43	11:45	11:51	11:59	0:16	PSA	Lift Assist		JPA-SR (O)	5337
16-1077	11/16/16	3	14:54	14:55	15:00	15:13	0:19	MA	Fall	#	OUT (SR)	5663
16-1078	11/16/16	3	16:06	16:09	16:11	16:46	0:40	MA	Chest Pain	#+	JPA-SR (N)	5334
16-1079	11/16/16	3	17:00	17:01	17:05	17:33	0:33	MA	Difficulty Breathing	#+	JPA-SR (N)	5333
16-1080	11/16/16	2	18:13	18:15		18:17	0:04	MA	Psychiatric Problem	#	JPA-SR (N)	5334
16-1081	11/17/16	3	5:30	5:33	5:38	5:51	0:21	FANN	Fire Alarm		JPA (MC)	1503
16-1082	11/17/16	2	17:58	18:01	18:06	18:53	0:55	COVER	Cover NOV 64		OUT (N)	21055
16-1083	11/17/16	3	18:43	18:44	18:45	18:53	0:10	MA	Vehicle vs. Ped		OUT (N)	21055
16-1084	11/17/16	2	22:01	22:03	22:04	0:51	2:50	COVER	Cover NOV 64		OUT (N)	21055
16-1085	11/18/16	3	20:20	20:02	20:05	20:41	0:21	MA	ALOC	#+	MW	5885
16-1086	11/18/16	3	22:53	22:55	22:58	23:20	0:27	FIRE	Vehicle Fire		MW	1501
16-1087	11/19/16	2	3:43	3:45		4:07	0:24	MA	Hemorrhage		JPA-SR (O)	5333
16-1088	11/19/16	3	7:04	7:06		7:14	0:10	FANN	Cancelled		OUT (SR)	5606
16-1089	11/19/16	3	8:03	8:05	8:09	8:15	0:12	MA	Vehicle Accident	#	MW	5882
16-1090	11/19/16	3	10:51	10:54	10:58	11:07	0:16	MA	Vehicle Accident	#	JPA (MC)	1501
16-1091	11/19/16	3	13:28	13:30		13:32	0:04	MA	Vehicle Accident/UTL	#	MW	5882
16-1092	11/19/16	3	14:55	14:56	15:01	15:20	0:25	MA	Dizziness	#	JPA (MC)	1501
16-1093	11/19/16	3	17:08	17:10		17:14	0:06	MA	Vehicle Accident/Cancelled	#	OUT (SR)	5336
16-1094	11/20/16	3	3:27	3:30	3:37	3:41	0:14	PSA	Lift Assist		JPA-SR (N)	5334
16-1095	11/20/16	2	12:23	12:25	12:25	12:38	0:15	PSA	Tree Down		MW	5882
16-1096	11/20/16	3	14:37	14:39	14:43	14:56	0:19	MA	Sick Person	#+	JPA-SR (N)	5334
16-1097	11/21/16	3	7:58	8:01	8:03	8:24	0:26	MA	Abdominal Pain	#+	MW	5883
16-1098	11/21/16	2	9:50	9:52	9:54	10:00	0:10	PSA	Lift Assist	#	JPA-SR (O)	5337
16-1099	11/21/26	3	11:25	11:27	11:32	11:54	0:29	MA	ALOC	#+	OUT (SR)	5667
16-1100	11/21/16	3	13:09	13:09	13:13	13:34	0:25	MA	Fall	#+	JPA-SR (N)	5333
16-1101	11/21/16	3	16:40	16:41	16:44	16:49	0:09	MA	Assault	#	CSA 13	5889
16-1102	11/21/16	3	16:48	16:48		16:48	0:00	MA	Fall	#	JPA-SR (N)	5333
16-1103	11/21/16	3	17:05	17:06	17:06	17:09	0:04	MA	Person Down	#	OUT (SR)	5665
16-1104	11/21/16	3	18:12	18:14	18:17	18:17	0:05	FANN	Fire Alarm		MW	5881
16-1105	11/22/16	3	16:51	16:53	17:00	17:15	0:24	MA	Fall	#+	JPA-SR (N)	5334
16-1106	11/22/16	2	19:35	19:37	19:42	19:57	0:22	MA	Sick Person	#+	JPA-SR (N)	5338
16-1107	11/22/16	2	3:21	3:24	3:28	3:44	0:23	MA	Sick Person	#+	JPA-SR (N)	5338
16-1108	11/23/16	2	17:47	17:47	17:49	17:59	0:12	PSA	Lift Assist		MW	5882
16-1109	11/24/16	3	8:40	8:43	8:48	8:53	0:13	FANN	Smoke Scare		OUT (SR)	5332
16-1110	11/24/16	3	14:33	14:35	14:38	15:04	0:31	FANN	Malfunctioning Alarm		JPA-SR (N)	5333
16-1111	11/25/16	3	6:50	6:52	6:55	7:14	0:24	MA	Possible Stroke	#+	JPA-SR (N)	5338

CODE 2 = Standard Response

CODE 3 = Emergency Response (lights, sirens)

ALS Response (#)  
 ALS Transport (+)  
 No ALS Transport (&)



